



City of Colorado Springs  
Engineering Division  
30 South Nevada Avenue, Suite 401,  
P.O. Box 1575, Mail Code 410  
Colorado Springs, Colorado 80903

**New Pedestrian Ramp Constructions  
Truncated Dome Detectable Warning Material  
Approved Product List  
Effective 10/6/2017**

The list below is to assist contractors and developers in selecting Truncated Dome Detectable Warning Materials for use within the City of Colorado Springs right of way and easements.

This list shall also to be used by City Staff and Consultants representing the City of Colorado Springs in verifying the acceptability of products proposed by contractors and/or developers, delivered to a project site, and/or planned to be incorporated into a project constructed within the City of Colorado Springs right-of-way or easements.

Only products approved and included herein shall be used to provide truncated dome detectable warning area on all newly constructed pedestrian ramps within the City of Colorado Springs right-of-way or easements. City Specifications permit the sampling of materials delivered to a project site, as necessary, to ensure conformance and quality. Samples and/or documentation will be required from the contractor by City Engineering personnel.

The Truncated Dome Detectable Warning Materials Approval List is maintained by the City of Colorado Springs, Engineering Division. The approved list of Truncated Dome Detectable Warning Materials will be updated periodically as new products or suppliers are evaluated and approved for use within in the City of Colorado Springs. Manufactures are encouraged to submit their products for evaluation and possible inclusion. New products may be placed on the Approved Product List, if acceptable, after their evaluation is completed. Products are removed from the Approved Products List if justifiable concerns arise as to the quality or performance. Please address all comments and questions requiring this Approved Products List to: Engineering Programs Manager, P.O. Box 1575, Mail Code 410, Colorado Springs, Colorado 80901-1575.

**APPROVED DETECTABLE WARNING MATERIALS\***

**Plates**

**Product Name**

DUALAST

Detectable Warning Plates

TufTile Cast Iron Tile/Radius-Wedge

**Manufacture**

EJ USA, Inc.

Neenah Foundry (CDOT APL)

TufTile, Inc. (CDOT APL)

**Panels\*\***

Detectable Warning Paving Slab

TekWay Dome-Tiles

CASTinTACT®3 Truncated Dome Panels (Red)

StoneBilt Concepts

StrongGo, LLc

CastinTact (CDOT APL)

\*All Plates/Panels must be 24-inches by 24-inches and wet set.

\*\* Concrete Panels shall not be used within the Greater Colorado Springs Business Improvement District